

## ATMOS C 341 Battery / ATMOS E 341 Battery

## Emergency suction Fast, Safe and Easy









### When every second counts ....

The ATMOS emergency suction devices are used in hospitals, private practices and nursing homes for emergencies where there is danger to life due to a blocked respiratory tract. The mobile devices are used for suction from the oral cavity, the nasopharyngeal cavity and the bronchial system.

Stable, space-saving, reliable and regardless of the application site: the ATMOS emergency suction devices make an important contribution for the optimal patient care in every situation.

#### FAST - build up of the target vacuum

SAFE - simple and intuitive operation

EASY - handling and cleaning





#### ATMOS E 341 Battery Emergency suction in the clinic



In all patient groups from neonates to the elderly, outpatients with mild injuries to the severely injured patients, emergencies can occur suddenly.

Besides to the emergency ventilation, defibrillator and mobile monitoring for life-saving emergency equipment , the emergency suction device ATMOS E 341 Battery is as a must on every ward.

The application areas in the clinic include all wards:

- Accident emergency department
- Intensive care unit
- Post-anesthesia care unit
- Normal wards

Furthermore, suction devices can be used during transport within the clinic.




High user comfort

Powerful suction performance

Easy adaptation to the emergency trolley

The optimal device when time and suction performance are of utmost importance. The electronically preset vacuum levels and the high suction efficiency guarantees rapid and reliable suction. No complicated settings - no uncertainty. The device is easy to use.







## ATMOS E 341 Battery The powerful "E-class" at a glance





#### Improved mobility thanks to the large handle





#### ATMOS C 341 Battery Suction at home and in nursing home



#### Application areas:

- Suction of blocked airways
- Suction of solid pieces of food
- Secretion suction after laryngectomy
- Secretion suction after tracheotomy
- Secretion suction in diseases with increased saliva production
- Suction in the case of respiratory tract damage following tumor irradiation
- Secretion suction in case of dysphagia following a stroke
- Geriatric oral hygiene



High user comfort

Individual vacuum adjustment

Ready for use at any time

The perfect device when suction and precise adjustment are of the utmost importance. Thanks to the infinitely adjustable vacuum enables the suction performance can be adjusted to suit the individual patient.

The infinitely adjustable vacuum enables for precise suction depending on the situation. Values between -0.05 and -0.8 bar can be set.

For use on infants, children and adults.





### ATMOS C 341 Battery The "C-class" at a glance





#### Improved mobility thanks to the large handle





### The canister systems

#### Reusable canister system (DDS)

Safe secretion collection:

- Autoclavable DDS canister
- Overflow protection with float ball and bacterial filter
- No housing required "Plug & Play" application
- Integrated hydrophobic bacterial filter in the canister
- Canisters are easy to mount/remove
- Easy to clean contours and surfaces

Your benefits:

- Easy handling
- Error in the housing can be completely ruled out
- Simple, quick and thorough reprocessing
- Time saving during start up



#### Disposable system Serres®

The ATMOS emergency suction devices can be used with the Serres<sup>®</sup> disposable system.

#### Disposable system Medi-Vac®

The ATMOS emergency suction devices can be used with the Medi-Vac<sup>®</sup> disposable system.





# Technical data

ATMOS E 341 Battery

ATMOS C 341 Battery





Suction performance	34 l/min (± 4 l/min)	26 l/min (± 4 l/min)
Battery	lithium-ion battery	lead battery
Battery operation	60 min	45 min
Charging time	ca. 4 h	> 6 h
Battery status display	5 LEDs	4 LEDs
Charging control	•	•
Vacuum adjustment	4-steps -0.1 bar, -0.2 bar, -0.5 bar, -0.8 bar	infinitely variable vacuum adjustment -0.05 bar up to -0.8 bar
Vacuum gauge	-	•
Vacuum display	1	•
Weight	3.65 kg (without secretion canister)	4.6 kg (without secretion canister)
Dimensions	370 x 277 x 146 mm	370 x 277 x 146 mm
Noise level	< 60 dB (A)	< 60 dB (A)
Size of secretion canister	1000 ml	1000 ml
Reusable secretion canister	•	•
Disposable secretion canister Serres®	•	•
Disposable secretion canister Medi-Vac®	•	•
Voltage	230 V ~ 50/60Hz	230 V ~ 50/60Hz
Operating temperature	-5° up to +50°	-5° up to +50°
Wall and device support	<ul> <li>•</li> </ul>	•

available

- not available



## Emergency suction devices

ATMOS C 341 Battery	REF
ATMOS C 341 Battery / DDS	
Included in delivery: Basic device, device base, hose rewind, support for DDS canister sytem, DDS secretion canister 1 l, power supply and recharging unit, 2-pin mains connection cable, reusable suction hose ø 10 mm, length = 1.3 m, 10 x DDS bacterial filter, 10 x fingertip for reusable suction hose ø 10 mm, operating instructions	318.1300.0
ATMOS C 341 Battery / Serres <sup>®</sup>	
Included in delivery: Basic device, device base, hose rewind, support for Serres <sup>®</sup> canister system, Serres <sup>®</sup> external canister 1 l, vacuum hose for disposable canister system, power supply and recharging unit, 2-pin mains connection cable, 10 x disposable suction hoses, Ø 6 mm, length = 1.3 m, operating instructions <u>Please note:</u> Serres <sup>®</sup> suction bags 1 l are not included in delivery.	318.1400.0
ATMOS C 341 Battery / Medi-Vac <sup>®</sup>	
Included in delivery: Basic device, device base, hose rewind, support for Medi-Vac® canister system, Me- di-Vac® external canister 1 l, vacuum hose for disposable canister system, power supply and recharging unit, 2-pin mains connection cable, 10 x disposable suction hoses, Ø 6 mm, length = 1.3 m, operating instructions <u>Please note:</u> Medi-Vac® suction bags 1 l are not included in delivery.	318.1600.0

TMOS E 341 Battery	REF
ATMOS E 341 Battery / DDS	
Included in delivery: Basic device, device base, hose rewind, support for DDS canister sytem, DDS secretion canister 1 l, power supply and recharging unit, 2-pin mains connection cable, reusable suction hose ø 10 mm, length = 1.3 m, 10 x DDS bacterial filter, 10 x fingertip for reusable suction hose ø 10 mm, operating instructions	319.1000.0
ATMOS E 341 Battery / Serres°	
Included in delivery: Basic device, device base, hose rewind, support for Serres <sup>®</sup> canister system, Serres <sup>®</sup> external canister 1 l, vacuum hose for disposable canister system, power supply and recharging unit, 2-pin mains connection cable, 10 x disposable suction hoses, ø 6 mm, length = 1.3 m, operating instructions <u>Please note:</u> Serres <sup>®</sup> suction bags 1 l are not included in delivery.	319.1100.0
ATMOS E 341 Battery / Medi-Vac <sup>®</sup>	
Included in delivery: Basic device, device base, hose rewind, support for Medi-Vac® canister system, Me- di-Vac® external canister 1 l, vacuum hose for disposable canister system, power supply and recharging unit, 2-pin mains connection cable, 10 x disposable suction hoses, ø 6 mm, length = 1.3 m, operating instructions <u>Please note:</u> Medi-Vac® suction bags 1 l are not included in delivery.	319.1200.0







## Disposables

Item	REF
1 <b>DDS canister system 1 l, complete</b> <u>Included in delivery</u> : DDS secretion canister 1 l, DDS canister lid inner part, DDS canis- ter lid outer part, filter holder, sealing ring, float ball, 10 x DDS bacterial filter	318.1000.0
2 Serres <sup>®</sup> external canister 1 l	312.0465.0
3 Medi-Vac <sup>®</sup> external canister 1 l	312.0473.0
4 Wall and device support for ATMOS emergency suction devices Easy removal of the ATMOS emergency suction device from the support thanks to one-hand release at the touch of a button. For direct mounting of the ATMOS emergency suction devices to the wall respectively to a standard rail. The charging accessories for the ATMOS emergency suction device can easily be attached to the wall and device support so that the device is recharged automatically. Included in delivery: wall and device support	318.1250.0
5 <b>Retrofit kit DDS canister system</b> For easy exchange from the disposable canister system (Serres <sup>*</sup> / Medi-Vac <sup>*</sup> ) to the DDS canister system. No tools are required for the exchange of the canister system. <u>Included in delivery:</u> DDS canister system 1 I complete, support for DDS canister sys- tem, reusable suction hose, Ø 10 mm	318.1350.0
6 <b>Retrofit kit Serres<sup>®</sup> canister system</b> For easy exchange from the DDS canister system or the disposable canister system Medi-Vac <sup>®</sup> to the disposable canister system Serres <sup>®</sup> . No tools are required for the exchange of the canister system. <u>Included in delivery:</u> Serres <sup>®</sup> external canister 1 l, support for Serres <sup>®</sup> canister system, vacuum hose for disposable canister system	318.1450.0
<ul> <li>Retrofit kit Medi-Vac* canister system</li> <li>For easy exchange from the DDS canister system or the disposable canister system</li> <li>Serres* to the disposable canister system Medi-Vac*. No tools are required for the exchange of the canister system.</li> <li><u>Included in delivery</u>: Medi-Vac* external canister 1 l, support for Medi-Vac* canister system, vacuum hose for disposable canister system</li> </ul>	318.1650.0
8 <b>Car power cable</b> for ATMOS emergency suction devices, connection: 12V~	318.0036.0
9 Carrying strap for ATMOS devices	312.0850.0





1 REF 318.1000.0





2 REF 312.0465.0

3 REF 312.0473.0



4 REF 318.1250.0



5 REF 318.1350.0



6 REF 318.1450.0



7 REF 318.1650.0



8 REF 318.0036.0 9 REF 312.0850.0





#### Accessories

lter	n	REF
1	<b>Reusable suction hose, silicone, Ø 10 mm, length = 1.3 m, 1 pc</b> individually packed, temperature-resistant up to 200°C	318.1012.0
2	<b>Fingertip for reusable suction hose Ø 10 mm, 10 pcs.</b> For single use with reusable suction hoses Ø 10 mm in combination with the DDS canister system, not autoclavable.	318.1100.0
3	<b>Bacterial filter for ATMOS DDS secretion canister, 10 pcs.</b> Accessory, not autoclavable. For hygienic reasons an exchange is recommended at least every 2 weeks. In case of contamination or a new patient the filter must be replaced immediately.	340.0054.0
4	Suction hose, PVC, disposable, Ø 6 mm, L = 1.30 m, 10 pcs. with integrated device connector and fingertip, not autoclavable. Suction hose for suction pump with conical connection (diameter of connection 7.5 - 10 mm), change: 1 x per patient.	006.0057.0
5	Suction hose, PVC, disposable, Ø 6 mm, L = 2.10 m, 50 pcs. with integrated device connector and fingertip, not autoclavable. Suction hose for suction pump with conical connection (diameter of connection 7.5 - 10 mm), change: 1 x per patient.	006.0059.0
6	Serres <sup>®</sup> suction bag 1 l, not autoclavable, 36 pcs. with integrated bacterial filter and angled connection, change: 1x per patient	312.0466.0
7	<b>Medi-Vac<sup>®</sup> suction bag 1 l, not autoclavable, 50 pcs.</b> change: 1x per patient	312.0474.0
8	<b>Vacuum hose for disposable canister system</b> Connection hose between ATMOS emergency suction device and the disposable canis- ter system with connection angle, not autoclavable.	318.1211.0
9	Suction catheter Unomedical <sup>®</sup> , size: CH 12, L = 50 cm, 100 pcs. Ø 4 mm, white, straight, central opening, 2 small lateral openings, suction connection Ø 6 mm, sterile, not autoclavable	000.0294.0
10	<b>Suction catheter Unomedical<sup>*</sup>, size: CH 14, L = 50 cm, 100 pcs.</b> Ø 4.7 mm, green, straight, central opening, 2 small lateral openings, suction connection Ø 6 mm, sterile, not autoclavable	000.0295.0
11	<b>Suction catheter Unomedical<sup>®</sup>, size: CH 16, L = 50 cm, 100 pcs.</b> Ø 5.3 mm, green, straight, central opening, 2 small lateral openings, suction connection Ø 6 mm, sterile, not autoclavable	000.0296.0






1 REF 318.1012.0



4 REF 006.0057.0



7 REF 312.0474.0







2 REF 318.1100.0

5 REF 006.0059.0



3 REF 340.0054.0



6 REF 312.0466.0



9 REF 000.0294.0

8 REF 318.1211.0



## Spare parts DDS-Canister-System

Item	REF
1 DDS secretion canister 1 l Included in delivery: DDS secretion canister 1 l	318.1013.0
<ul> <li>DDS canister lid, complete</li> <li>Included in delivery:</li> <li>DDS inner canister lid, DDS outer canister lid, filter holder,</li> <li>sealing ring, float ball, 10 x DDS bacterial filter</li> </ul>	318.1016.0
3 DDS outer canister lid Included in delivery: DDS outer canister lid	318.1002.0
4 DDS inner canister lid Included in delivery: DDS inner canister lid	318.1004.0
5 Float ball for DDS canister system Included in delivery: float ball	000.0839.0
6 Filter holder for DDS canister system Included in delivery: filter holder	318.1003.0
7 Sealing ring for DDS canister system Included in delivery: sealing ring	055.0112.0





1 REF 318.1013.0





2 REF 318.1016.0

3 REF 318.1002.0



4 REF 318.1004.0



5 REF 000.0839.0



6 REF 318.1003.0




7 REF 055.0112.0



## Spare parts device

Art	Artikel	
1	<b>Battery for ATMOS C 341 Battery</b> type: lead; dimensions (W x H x D): 67 x 134 x 67 mm; weight: 1.15 kg; nominal capacity: 3.4 Ah; nominal voltage: 12 V nominal; runtime: 45 min; charging time: 14 h; service life: 400 charging cycles in approx. 3 years, Included in delivery: lead battery	318.000
2	<b>Battery for ATMOS E 341 Battery</b> type: lithium-ionic; dimensions (W x H x D): 43 x 73 x 75 mm; weight: 0.4 kg; nominal capacity: at least 4.3 Ah; nominal voltage: 14.8 V nominal; runtime: 60 min; charging time: 4 h; service life: approx. 500 charging cycles Included in delivery: lithium-ionic battery	319.001
3	Battery compartment cover Included in delivery: battery compartment cover	318.001
4	Foam for battery compartment cover ATMOS C 341 Battery Included in delivery: foam for battery compartment cover, fixation material	318.001
5	Hose rewind Included in delivery: hose rewind	319.000
6	Device base Included in delivery: device base	319.000
7	<b>Support for the DDS canister system</b> For easy adaptation to ATMOS C 341 Battery resp. ATMOS E 341 Battery. Included in delivery: support for the DDS canister system	318.101
8	<b>Support for Serres<sup>®</sup> canister system</b> For easy adaptation to ATMOS C 341 Battery resp. ATMOS E 341 Battery. Included in delivery: support for Serres <sup>®</sup> canister system	318.121
	<b>Support for Medi-Vac<sup>®</sup> canister system</b> For easy adaptation to ATMOS C 341 Battery resp. ATMOS E 341 Battery. Included in delivery: support for Medi-Vac <sup>®</sup> canister system	318.150
9	Release button Included in delivery: release button	318.001
10	Spring for release button Included in delivery: spring for release button	000.102
11	<b>Power supply and recharging unit for ATMOS C / E 341 Battery</b> Technical data: dimensions (W x H x D): 130 x 36 x 60 mm; weight: 280 g Included in delivery: power supply and recharging unit for ATMOS C / E 341 Battery	318.003
12	<b>2-pin mains connection cable</b> (L = 1.5 m) Please note: Will be used with chargers for ATMOS devices (011.1334.0 and 318.0035.0).	008.092





10 REF 000.1029.0

11 REF 318.0035.0

12 REF 008.0920.0



ATMOS MedizinTechnik GmbH & Co. KG Ludwig-Kegel-Str. 16 79853 Lenzkirch / Germany Tel: +49 7653 689-0 atmos@atmosmed.de

www.atmosmed.com